

CS/B.TECH(CSE)(N)/SEM-5/CS-501/2012-13

2012

DESIGN AND ANALYSIS OF ALGORITHM

Time Allotted : 3 Hours

Full Marks : 70

The figures in the margin indicate full marks.

*Candidates are required to give their answers in their own words
as far as practicable.*

GROUP – A

(Multiple Choice Type Question)

1. Choose the correct alternatives for the following: 10 x 1 = 10
 - i) The *Big O Notation* of the expression
 $f(n) = n \log_2 n + n^2 + e^{\log_2 n}$ is
 - a) $O(n \log_2 n)$
 - b) $O(n^2)$
 - c) $O(n)$
 - d) $O(e^{\log_2 n})$.
 - ii) Traveling Salesman Problem is
 - a) NP Hard
 - b) NP
 - c) NP Complete
 - d) none of these.
 - iii) $o(g(n))$ is [Read as small oh of $g(n)$] is
 - a) asymptotically loose
 - b) asymptotically tight
 - c) same as Big Oh
 - d) None of these.

- iv) Complexity of the recurrence relation $T(n) = 8T(\frac{n}{2}) + n^2$ is
- a) $O(n)$
 - b) $O(n^2)$
 - c) $O(\log_2 n)$
 - d) $O(n^3)$
- v) Kruskal's Algorithm is an example of
- a) Dynamic programming
 - b) Greedy Method
 - c) Both (a) and (b)
 - d) None of these.
- vi) Complexity of Tower of Hanoi problem is
- a) $O(n)$
 - b) $O(n^2)$
 - c) $O(2^n)$
 - d) None of these.
- vii) Binary Search algorithm can't be applied to
- a) Sorted linked lists
 - b) Sorted binary trees
 - c) Sorted linear array
 - d) Sorted integer array.
- viii) The technique of Pruning is used in
- a) Branch and Bound
 - b) Backtracking
 - c) Divide and Conquer
 - d) Dynamic Programming.

- ix) The tight bound for building a max heap is
- a) $O(n)$ b) $O(\log_2 n)$
 c) $O(n \log_2 n)$ d) None of these.
- x) The worst case running time of a quick sort algorithm is
- a) $O(n^2)$ b) $O(n \log_2 n)$
 c) $O(n)$ d) $O(\log_2 n)$

GROUP – B

(Short Answer Type Questions)

Answer any *three* of the following. 3 x 5 = 15

2. Find the best and worst case time complexity of quick sort.
3. State Master's theorem and find out the time complexity for the recurrence $T(n) = T(2n/3) + 1$.
4. Find the optimal solution using greedy criteria for a knapsack having capacity 100 kg for the following list of items having values and weights as shown in the table.

Item	Value	Weight
I_1	10	15
I_2	20	25
I_3	30	35
I_4	40	45
I_5	50	55

5. Compare and contrast BFS vs DFS.
6. Use the recursion tree to give an asymptotically tight solution to the recursion $T(n) = T(n - a) + T(a) + cn$ where $a \geq 1$ and $c > 0$ are constant.

GROUP – C

(Long Answer Type Questions)

Answer any *three* of the following. 3 x 15 = 45

7. Suppose we have a recurrence relation $T(n) = aT(\frac{n}{b}) + f(n)$.

Show that the following are true.

a) If $a f(\frac{n}{b}) = k f(n)$ for some constant $k < 1$, then
 $T(n) = O(f(n)).$ 5

b) If $a f(\frac{n}{b}) = k f(n)$ for some constant $k < 1$, then
 $T(n) = O(n \log_b a).$ 5

c) If $a f(\frac{n}{b}) = k f(n)$ for some constant $k < 1$, then
 $T(n) = O(n \log_b a).$ 5

8.
 - a) Discuss the Bellman-Ford's Algorithm for single-source shortest path problem. 7
 - b) Prove that the time-complexity of the algorithm is $\Theta(V^2E)$. 3
 - c) What is union-find algorithm? Explain with an example. 5

9. a) What are the characteristics of greedy algorithm? 3
- b) Discuss the activity selection problem for job sequencing with an example. Prove that the time complexity of the algorithm is $O(n \log n)$. 5 + 3
- c) Differentiate between greedy method and dynamic programming. 4
10. a) Explain the max-flow min-cut theorem with an example. 6
- b) Compare and contrast BFS and DFS. State the 0/1 knapsack problem. 3 + 2
- c) Describe the Clique Division Problem (CDP). Prove that the CDP is NP complete. 2 + 2
11. Write short notes on any *three* of the following: 3 x 5
- a) Asymptotic Notations
- b) Strassen's Matrix Multiplication
- c) Approximation Algorithms
- d) Knuth-Morris-Pratt Algorithm
- e) Recursion Trees.

=====